

Subject Index to Volume 14

A

- Acetylcholine
 - adenosine action, oxygenated and hypoxic atria, H468
 - atrioventricular conduction, vagus nerve and, H584
 - contractions and, coronary artery, H937
- Acidosis
 - hypercapnic, plasma catecholamines and, awake state, H924
 - metabolic, circulatory and developmental changes, hypoxemia (lamb), H674
- α -Actinin, cathepsin-D-catalyzed degradation and, H294
- Action potentials: *see* Potentials
- Actomyosin, distribution, thyroid state and swimming effects, H713
- Actomyosin adenosine triphosphatase, mechanical and electrical performance, myocardium, aging effects, H72
- Acylcarnitines, long-chain, cardiac sarcoplasmic reticulum function and, H969
- Adenine nucleotide, metabolism, ribose effects on cardiac metabolism, H880
- Adenosine
 - action, oxygenated and hypoxic atria, H468
 - concentration, cardiac, pericardial superfusion measurement, H1085
 - interaction, inotropic interventions, atria (guinea pig), H475
 - interstitial, measurement, left ventricle, H327
 - quantitation, fluorometry, H887
- Adenosine deaminase, action, oxygenated and hypoxic atria, H468
- Adenosine monophosphate, cyclic
 - diabetic heart, H1039
 - ribose effects, cardiac metabolism, H880
- Adenosine triphosphatase, distribution, thyroid state and swimming effects, H713
- Adenosine triphosphate
 - cardiac cycle and, H354
 - chronic copper deficiency, H855
 - coronary vascular resistance, ischemic heart, hyaluronidase effects, H183
- Adrenal medulla, catecholamines, salt-sensitive genetic hypertension and, H762
- Adrenergic control, arteries, ear, H320
- Adrenergic nerves
 - ending, norepinephrine effects, pulmonary artery, H104
 - portal valve, renal (rooster), H628
- Adrenergic receptors: *see* Receptors
- Aging
 - endurance exercise, myocardial adaptations, H560
 - mechanical and electrical performance, myocardium, H72
 - sarcolemma, calcium depletion and repletion, neonate, H343
- Albumin
 - endothelial permeability, lung, H229
 - 125 I-labeled, transport, aortic, pressure effects, H977
 - serum, cerebrospinal fluid, hindlimb, H911
- Ameroid occluder, coronary collateral flow, during exercise, H131
- Amines, storage, Chediak-Higashi syndrome (cattle), H150
- Anemia, splenic circulation, compartmental analysis, H17
- Anesthetics, local, diffusion, superficial ventral medullary areas, H962
- Angiotensin
 - vascular formation, kinase-II dependent, hepatic circulation, H849
 - vasoconstriction during hemorrhage, baroreceptor denervation, H667
 - vasopressin and, blood flow, following hemorrhage, H749
- Angiotensin antagonists, circulation and, liver, H849
- Angiotensin II, adrenergic potentiation, prejunctional, H662
- Anticoagulant, microvascular heparinlike species (calf), H725
- Aorta
 - 125 I-albumin transport, pressure and stirring effects, H977
 - thoracic, medial thickness, H623
- Aortic wall, thoracic, thickness, H623
- Arachidonic acid, hyperreactivity and, platelet-perfused heart, diabetes, H640
- Arrhythmias
 - cardiac, vagus-sinoatrial node interactions, model, H1039
 - coronary occlusion and, heart (sheep), H82
 - postcountershock, defibrillator safety factor with biphasic waveforms, H60
- Arterial load: *see* Load
- Arterial pressure: *see* Pressure
- Arteries: *see* specific type and site
- Arterioles
 - cerebral, magnesium ion concentration changes and, H22
 - diameter, cubic dependence on, microvascular blood flow, H1031
 - venous and arterial pressure elevation and, mesentery, H796
- ATP: *see* Adenosine triphosphate
- ATPase: *see* Adenosine triphosphatase; Sodium-potassium-ATPase
- Atria: *see* Heart atria
- Atrioventricular conduction, secondary, during vagal stimulation, H584
- Atrioventricular node, surgically denervated heart, nicotinic sensitivity, H27
- Atropine, adenosine interactions, atria (guinea pig), H475
- Autonomic nervous system
 - atrioventricular conduction responses, vagal stimulation, H584
 - pressor response mediation, cerebral ischemia, H962
- Autoregulation
 - arterial sensitivity, vascular smooth muscle, H379
 - interstitial adenosine, measurement, left ventricle, H327

- renal blood flow, development (swine), H1
- Awake state
 - blood pressure maintenance, dehydration and, H203
 - blood substitutes, method for evaluation, H519
 - cardiac denervation, vasopressin and renin response to hemorrhage, H399
 - cardiovascular reflex response, right ventricular hypertrophy, H871
 - chronic volume overload, left ventricular response to tachycardia, H218
 - experimental high-output heart failure, indomethacin effects, H942
 - plasma catecholamines, hypoxemia and hypercapnia effects, H924

B

- Baroreceptors: *see* Receptors
- Baroreflexes: *see* Reflexes
- Blockade
 - entrance and exit, sinoatrial node (guinea pig), H7
 - opiate receptor, endotoxin and, cardiopulmonary responses (ewe), H189
- α -receptor, cerebral blood flow regulation, hypoxic newborn (lamb), H487
- vagal
 - angiotensin, baroreceptor denervation, H667
 - pharmacologic denervation, cardiac, H592
- Blood, conductivity, caval occlusion effects, H580
- Blood flow: *see also* Circulation; Microcirculation
 - autoregulation, mesentery, H796
 - catecholamine effects, adipose tissue, H447
- cerebral
 - hydroxyl radical effects, pial arterioles, H139
 - oxyhemoglobin affinity effects, H1019
 - regulation, magnesium ion concentration effects, H22
 - sympathetic effect on, hypoxic newborn (lamb), H487
- coronary
 - distal coronary pressure effects, H1054
 - histamine receptor stimulation and, H461
 - right ventricular hypertrophy, awake state, H871
- distribution
 - hypoxemia effects, sympathectomy, fetal (sheep), H767
 - temperature effects, hindpaw, H159
- hepatic, saralasin effects, H573
- jejunal, intestinal postprandial hyperemia, H437
- kidney, saralasin effects, H573
- microsphere and red blood cell flow and, slit and tube models, H429
- microvascular, cubic dependence on arteriolar diameter, H1031
- myocardial
 - exercise, after coronary occlusion, H131

Blood flow (*continued*)

- histamine receptor stimulation and, H461
 - oxygen consumption and, sympathetic stimulation, skeletal muscle, H66
 - oxygen partial pressure and, cerebral, mass spectrometry, H513
 - regional
 - intraorgan, plasma-soluble marker for, H707
 - vasopressin and saralasin effects, following hemorrhage, H749
 - renal
 - autoregulation, developing (swine), H1 fetal (sheep), H524
 - splanchnic, saralasin effects, H573
- Blood pressure: *see also* Pressure
- cerebral ischemia, ventral medulla, H962
 - control, prostaglandin effects, carotid sinus, awake state (sheep), H1007
 - graded reductions and, hindlimb perfusion, exercise, H481
 - hydrocortisone effects, H1013
 - maintenance, dehydration and, awake state, H203
 - regulation, norepinephrine release, carotid occlusion, H635
 - venous, lymph node, lymph modification and, H616
- Blood substitutes, method for evaluation, awake state, H519
- Blood vessel, myograph, ear arteries and, morphometry, H840
- Blood volume: *see also* Volume
- arterial, hypoproteinemia effects, H284
 - cardiopulmonary, head-down tilt and, sustained hypertension, H194
 - central, high intracranial pressure effects, H947
 - regional, computer registration of isotope curves, H1061
- Body
- fluid: *see* Fluid
 - weight: *see* Weight
- Brody effect, caval occlusion, magnitude of unipolar atrial electrograms, H580

C

- Caffeine, current, heart cells, embryo (chick), H528
- Calcium
 - adenosine interactions, atria (guinea pig), H475
 - depletion and repletion, heart, H343, neonate,
 - distribution, thyroid state and swimming effects, H713
 - flux, cardiac contractility and, H535
 - sensitivity, diabetic heart, H808
 - uptake
 - hypoxia effects on mitochondrial function, myocardium, neonate, H998
 - sarcoplasmic reticulum, diabetes, H969
- Calcium antagonists
 - carotid baroreceptors and baroreflexes, H653
 - slow channel, myocardial adrenergic receptors, species differences (dog, rat, rabbit), H957
- Calcium channel blockers, carotid baroreceptors and baroreflexes, H653
- Calcium channels, vascular, organic calcium entry blockers and, vein, H1024

- Calcium entry blockers, vein, calcium channels resistant to, H1024
- Calcium ion, tolerance, myocytes, left ventricular, H830
- Calcium-magnesium ion interactions, cerebral arterioles, H22
- Capacitance, vascular, changes during high intracranial pressure, H947
- Capacity, oxidative, skeletal muscle fiber types during contraction, H265
- Capillaries
 - density, cremaster muscle, H368
 - filtration, pulmonary, weight and lymph flow relations, H125
 - permeability: *see* Permeability
- Capillary surface area, temperature effects, hindpaw, H159
- Captopril
 - adrenergic potentiation, prejunctional, H662
 - angiotensin formation, hepatic circulation and, H849
- Carbon monoxide, hypoxia, cerebrovascular response, oxyhemoglobin affinity effects, H1019
- Cardiac cells: *see* Heart cells; Myocardial cells; Myocytes
- Cardiac cycle
 - length, right ventricular hypertrophy, awake state, H871
 - myoglobin oxygenation, H237
 - regulation and energy oscillations, H354
- Cardiac enzymes, infarct size, evaluation, H413
- Cardiac impulse, channels, cables, networks, conduction and, H901
- Cardiac nerves, intrinsic, nicotinic sensitivity, surgical denervation and, H27
- Cardiac output
 - allometric relations (bird), H567
 - changes, reversal of renovascular hypertension and, H734
 - distribution, hypoxemia effects (lamb), H674
 - graded reductions and, hindlimb perfusion, exercise, H481
 - low, thermolysis method, H690
 - measurement by microcomputer, H178
 - vasopressin and saralasin effects, following hemorrhage, H749
- Cardiomyopathy, chronic copper deficiency and, H855
- Cardiopulmonary responses, endotoxin, opiate receptor blocker effects (ewe), H189
- Cardiorenal hemodynamics, sodium excretion and, myocardial infarction effects, H98
- Cardiovascular function, allometric relations (bird), H567
- Cardiovascular response, reflex, right ventricular hypertrophy, awake state, H871
- Carnitine, diabetes treatment, cardiac sarcoplasmic reticulum function in, H969
- Carotid artery
 - external, prostaglandin effects, awake state (sheep), H1007
 - occlusion, norepinephrine release, H635
- Carotid sinus
 - prostaglandin E_2 effects, arterial pressure, awake state (sheep), H1007
 - reflex: *see* Reflexes
- Catecholamines
 - adrenal, salt-sensitive genetic hyperten-

- sion, H762
- chronotropic response, vagal stimulation, H721
- contractile responses, adenosine effects, atria, H468
- hypoxemia effects, sympathectomy, fetal (sheep), H767
- influence, adipose tissue, H447
- plasma, hypoxemia and hypercapnia effects, awake state, H924
- release, sympathetic nerve efferents, carotid occlusion, H635
- resting potential and, hypertrophied cardiac muscles, H90
- ribose effects and, cardiac metabolism, H880
- Cathepsin-D, cardiac myofibrillar protein susceptibility, H294
- Catheter, indwelling double-lumen, blood substitutes, awake state, H519
- Catheterization, renal venous, fetal (sheep), H524
- Central nervous system, cardiovascular and sympathetic responses, hydrocortisone, H1013
- Cerebral arterioles: *see* Arterioles
- Cerebral artery, dopamine effects, heterogeneity of (monkey), H930
- Cerebral cortex, regional, transfer function through, photoelectric method, H385
- Cerebral ventricles, anteroventral third, prevention of two-kidney renal hypertension, H683
- Cerebrospinal fluid, blood-free and protein-free perfusion, hindlimb, H901
- Chediak-Higashi syndrome, platelet storage pool deficiency (cattle), H150
- Chloride, sensitivity, diabetic heart, H808
- Cholinergic nerves, portal valve, renal (rooster), H628
- Chromatography, high-pressure liquid, adenosine quantitation, H887
- Cimetidine, histamine receptor stimulation, myocardial blood flow and, H461
- Circulation: *see also* Blood flow; Microcirculation
 - angiotensins, kinase-II-dependent formation, liver, H849
 - cerebral intraparenchymal, transfer function, H385
 - collateral, coronary occlusion effects, heart (sheep), H82
 - peripheral, vasopressin and saralasin effects, following hemorrhage, H749
 - splenic, compartmental analysis, H17
 - sympathectomy, hypoxemia effects, fetal (sheep), H767
- Cocaine, uptake, plasma, H336
- Compartmental analysis, circulation, splenic, H17
- Compliance, arterial, high intracranial pressure effects, H947
- Congestion, chronic, venous return and, nitroprusside effects, H814
- Contraction: *see* Muscle; Muscle, heart
- Copper, deficiency, tissue effects, H855
- Coronary artery
 - contraction, vasoconstrictor agents and, H937
 - dopamine effects, heterogeneity of (monkey), H930
 - endothelium-dependent relaxation, 5-hydroxytryptamine effects, H1077
 - occlusion, elevated sympathetic re-

sponse, H646
 Coronary flow: *see* Flow
 Coronary occlusion
 arrhythmias and, heart (sheep), H82
 gradual, myocardial blood flow during exercise, H131
 Coupling
 excitation-contraction, aging effects, myocardium, H72
 excitation-contraction-metabolism, myocardial response to hypoxia, theophylline effects, H363
 ventriculoarterial, left ventricle, H773
 Creatine kinase, infarct size, method for evaluation, H413
 Cremaster muscle
 blood flow, cubic dependence on arteriolar diameter, H1031
 capillarity, fiber types and, H368
 Current, caffeine-induced, embryo, heart cells (chick), H528
 Cytochrome c, myocardial, endurance exercise and aging effects, H560

D

Defibrillator, safety factor, biphasic waveforms, H60
 Dehydration, blood pressure maintenance, awake state, H203
 Denervation
 heart, nicotinic sensitivity of atrioventricular node, H27
 pharmacologic, intrinsic heart rate determined by, H592
 Desmethylimipramine
 blood flow, intraorgan regional, H707
 norepinephrine turnover, endotoxemia, heart and spleen, H276
 Development
 circulatory responses and, hypoxemia effects (lamb), H674
 renal blood flow, autoregulation (swine), H1
 Diabetes
 heart, sensitivity to α -adrenoceptor stimulation, H808
 insulin- or carnitine-treated, cardiac sarcoplasmic reticulum function in, H969
 platelet-perfused heart, hyperreactivity of coronary vasculature, H640
 prostaglandin E₁ effects, heart, H1039
 Diastolic function, lengthening patterns and, left ventricle, H741
 Dibucaine, intestinal postprandial hyperemia, H437
 Diet: *see* Feeding
 Diltiazem, calcium channels resistant to, vein, H1024
 Dimaprit, histamine receptor stimulation, myocardial blood flow and, H461
 Diphenhydramine, histamine receptor stimulation, myocardial blood flow and, H461
 2,3-Diphosphoglycerate, postnatal regulation, erythrocytes (sheep), H506
 Dopamine
 chronotropic response, vagal stimulation, H721
 response, cerebral and peripheral arteries (monkey), H930
 Dopamine β -hydroxylase, high-salt diet, genetic hypertension, H762
 Doppler measurement, myocardial thickening (pig), H1066

Dose-response relations, arterial sensitivity, vascular smooth muscle, H379
 Droperidol, response to, cerebral and peripheral arteries (monkey), H930

E

Ear artery
 adrenergic control in, H320
 sequential, morphometry, H840
 Edema
 coronary vascular resistance, ischemic heart, hyaluronidase effects, H183
 pulmonary, weight gain and lymph flow relations, H125
 Elastance, left ventricular systolic dynamics, H110
 Electrical activity, liposome effects, heart cells (chick), H756
 Electrocardiography
 cardiomyopathy, chronic copper deficiency, H855
 pulmonary hypertension and, monocrotaline pyrrole, H300
 Electrophysiology, atrial, caval occlusion effects, H580
 Electronic inhibition, summation and, Purkinje fibers, H42
 Electrophysiology
 cardiac
 impulse, H901
 sodium or calcium-filled liposomes and, H756
 myocytes, left ventricular, H830
 Embryo
 defibrillator safety factor, biphasic waveforms, H60
 heart cells, caffeine-induced current (chick), H528
 Endorphins, cardiopulmonary response, endotoxin (ewe), H189
 Endothelial cells, plasma-soluble marker, intraorgan regional blood flow, H707
 Endotoxemia, norepinephrine turnover, cardiac and splenic, H276
 Endotoxin, cardiopulmonary responses to, opiate receptor blocker effects (ewe), H189
 Energy, oscillations, cardiac cycle, H354
 Energy metabolism, myocardial, tolbutamide effects, H313
 Enzymes: *see also* specific enzyme
 perfusion, calcium-tolerant cardiac myocytes, H891
 Epinephrine
 adenosine action, oxygenated and hypoxic atria, H468
 blood pressure maintenance, dehydration, awake state, H203
 high-salt diet, genetic hypertension, H762
 hypoxemia and hypercapnia effects, awake state, H924
 influence, adipose tissue, H447
 resting potential and, hypertrophied cardiac muscles, H90
 Erythrocytes
 density of suspension, microphotometry, H167
 2,3-diphosphoglycerate, postnatal regulation (sheep), H506
 intrarenal flow, blood flow and, model, H429
 rouleaux formation kinetics, erythrocytes, models, H252, H259

N⁶-Ethenoadenosine, quantitation, high-pressure liquid chromatography with fluorometry, H887
 Evans blue dye, lymph passage, lymph node, histamine effects, H553
 Excitation-contraction coupling: *see* Coupling
 Exercise
 endurance, aging and, myocardial adaptations, H560
 hindlimb perfusion, cardiovascular response to graded reductions, H481
 myocardial blood flow during, coronary occlusion and, H131
 physical training
 aging and, myocardial adaptations to, H560
 myosin isoenzymes and, heart, H713
 running, aging and, myocardial adaptations to, H560
 swimming, cardiac myosin isoenzymes in, H713
 Expiration: *see* Respiration
 Extensor digitorum longus muscle, sympathetic stimulation, blood flow and oxygen consumption during, H66

F

Fatty acids, ¹²⁵I-labeled, esterification, cardiac glycerolipids, H693
 Feeding, dietary sodium restriction, spontaneous hypertension, H1081
 Femoral artery
 ouabain binding, sodium-potassium-ATPase and rubidium ion uptake, H604
 relaxation, potassium ion-induced, H598
 Fetus, venous catheterization, renal (sheep), H524
 Fiber matrix theory, single capillary permeability, colored solutes (frog), H495
 Fibrinogen, rouleaux formation kinetics, erythrocytes, H252, H259
 Fick principle
 arteriovenous oxygen difference, measurement by computer, H178
 cardiovascular function, allometric relations (bird), H567
 Fistula, aorto-caval, indomethacin effects, awake state, H942
 Flow
 coronary, α -adrenoceptor stimulation, diabetic heart, H808
 coronary collateral, during exercise, gradual coronary occlusion and, H131
 Flowmetry, electromagnetic, microsphere injection, H920
 Flow-pulse response, left ventricular systolic dynamics, H110
 Fluid
 body, balance, renal hypertension, H683
 shifts, intercompartmental, during hemorrhage, H143
 volume: *see* Volume
 Fluorescence, nicotinamide adenine dinucleotide, myocardial response to hypoxia, theophylline effects, H363
 Fluorometry, high-pressure liquid chromatography with, adenosine quantitation, H887
 Force-interval relations, volume overload, left ventricular response to tachycardia, H218

G

- Gain, open-loop, baroreflex, analysis, hemorrhagic hypotension, H54
- Gas, physiological, partial pressure, cerebral, H513
- Glucose
absorption, intestinal postprandial hyperemia, H437
postnatal regulation, erythrocytes (sheep), H506
release, intercompartmental fluid shifts due to, during hemorrhage, H143
- Glutamic acid, protection, ischemic myocardium, H406
- Glycerol, plasma, adipose tissue, H447
- Glycerolipids, cardiac, fatty acid esterification into, H693
- Glycocalyx, calcium paradox, heart, H343
- Glycogen, phosphorylation, diabetic heart, H1039
- Glycogenolysis
ribose effects, cardiac, H880
tolbutamide effects, myocardial energy metabolism, H313
- Glycolysis
regulation, erythrocytes (sheep), H506
tolbutamide effects, myocardial energy metabolism, H313
- Gray matter, cerebral, microvascular heparinlike species (calf), H725

H

- Heart
aged, endurance exercise and, H560
calcium depletion and repletion, age effects on sarcolemma, neonate, H343
chronotropic response, vagal stimulation, catecholamine effects, H721
coronary occlusion, arrhythmias and (sheep), H82
cycle, myoglobin oxygenation, H237
denervated
nicotinic sensitivity, atrioventricular node, H27
vasopressin and renin response to hemorrhage, awake state, H399
diabetic
enhanced sensitivity to α -adrenoceptor stimulation, H808
prostaglandin E_1 effects, H1039
failure
epinephrine effects, resting potential, hypertrophy, H90
experimental high-output, indomethacin effects, awake state, H942
kidney function after, H98
glycerolipids: *see* Glycerolipids
hypertrophy: *see* Hypertrophy
inotropic state, chronic volume overload and force-interval relations, H218
ischemic, coronary vascular resistance, hyaluronidase effects, H183
isolated, left ventricular systolic dynamics, H110
lung interdependence, H300
mass: *see* Mass
metabolism, chronic copper deficiency, H855
metabolism and function, ribose effects, isoproterenol treatment and, H880
myosin isoenzymes in, swimming effects, H713
norepinephrine turnover, endotoxemia, H276
- permeability, macromolecules, protein and blood cell effects, H698
plasmalemma, p-face particle density of, H992
platelet-perfused, hyperreactivity, diabetes and, H640
quantitative histochemistry, Purkinje fibers, H824
responses, fade of, atrioventricular conduction during vagal stimulation, H584
sodium-potassium-ATPase activity, hypertension effects, H244
tissue, cathepsin-D effects, H294
volume: *see* Volume
working, insulin- or carnitine-treated diabetes, H969
- Heart atria
impulse origin, cycle length relations, H781
inotropic interventions, adenosine interactions (guinea pig), H475
oxygenated and hypoxic, adenosine action in, H468
unipolar electrograms, caval occlusion and, H580
- Heart cells: *see also* Myocardial cells; Myocytes
caffeine-induced current, embryo (chick), H528
intracellular injections, phospholipid vesicles for, H756
- Heart rate
catecholamine effects, vagal stimulation, H721
graded reductions and, hindlimb perfusion, exercise, H481
intrinsic, pharmacologic denervation and, H592
vagus-sinoatrial node interactions, model, H1039
vascular resistance and, genetic hypertension, H210
- Heart ventricles
fibrillation, coronary occlusion effects (sheep), H82
function, regional, lengthening patterns and, H741
hypertrophy: *see* Hypertrophy
intermittent positive-pressure ventilation, cardiovascular changes during, H300
myocytes, calcium-tolerant, isolation of, H891
- Heart ventricles, left
arterial load interaction, H773
chronic volume overload effects, tachycardia, H218
elevated sympathetic response, healed myocardial infarction, H646
function, kidney function after myocardial infarction, H98
interstitial adenosine, direct measurement, H327
lengthening patterns, regional circumferential, H741
myocytes, electrophysiology and ultrastructure, H830
regional function, Doppler measurement (pig), H1066
systolic dynamics, H110
- Heat, loss, low cardiac output, H690
- Hematocrit
arterial pressure, systemic zero flow, H453
- microphotometric determination, small vessels, H167
- Hemodynamics, disturbances, microsphere injection and, H920
- Hemorrhage
baroreflex open-and closed-loop analysis, H54
glucose release, intercompartmental fluid shifts due to, H143
regional blood flow, vasopressin and saralasin effects, H749
vasoconstriction during, angiotensin and, baroreceptor denervation, H667
vasopressin and renin response, cardiac denervation, awake state, H399
- Heparinlike species, microvascular, anticoagulant activity (calf), H725
- Heterogeneity, potassium-induced relaxation, femoral and renal arteries, H598
- Hexamethonium, intestinal postprandial hyperemia, H437
- Hindlimb, perfusion, responses to terminal aortic restriction, exercise, H481
- Histamine
adrenergic control, arteries of ear, H320
contractions and, coronary artery, H937
lymph modification and, during passage through lymph node, H553
receptors: *see* Receptors
- Histochemistry, quantitative, Purkinje fibers, cardiac, H824
- Histology, renal, fetal (sheep), H524
- Hyaluronidase, coronary vascular resistance and, ischemic heart, H183
- Hydrocortisone, cardiovascular and sympathetic responses, centrally induced, H1013
- 6-Hydroxydopamine, hypoxemia effects, sympathectomy, fetal (sheep), H767
- Hydroxyl radicals, dilation of pial arterioles and, H139
- 5-Hydroxytryptamine
endothelium-dependent relaxation and, coronary artery, H1077
platelet storage pool deficiency, Chediak-Higashi syndrome (cattle), H150
- Hypercapnia, hypoxemia, plasma catecholamines, awake state, H924
- Hyperemia
contraction, skeletal muscle fiber types, H265
exercise, skeletal muscle, sympathetic stimulation, H66
intestinal postprandial, neural mechanism for, H437
- Hyperglycemia, fluid shift, during hemorrhage, H143
- Hyperosmolality, fluid shift, during hemorrhage, H143
- Hyperreactivity, platelet-perfused heart, diabetes, H640
- Hypertension
arteriolar diameter, cubic dependence on, H1031
genetic
salt-sensitive, adrenal catecholamines in, H762
vascular resistance in, baroreflex control of, H210
Goldblatt, maximum vasodilation, kidney, H790
Goldblatt two-kidney, reversal of, hemodynamics, H734
one-kidney, one-clip, decreased myocardial

- dial sodium-potassium-ATPase activity in, H244
 pulmonary, monocrotaline pyrrole and, H300
 renal
 abnormal baroreflex control, H420
 left ventricular hypertrophy and, isovolumic indexes, H33
 renovascular, hemodynamics induced by reversal of, H734
 sodium-dependent, adrenal catecholamines and, H762
 spontaneous, low sodium intake and blood pressure, H1081
 sustained, head-down tilt effects, H194
 two-kidney renal, prevention by ablation of anteroventral third ventricle tissue, H683
- Hypertrophy**
 heart muscle, epinephrine effects on resting potential, H90
 left ventricular, renal hypertension and, isovolumic indexes, H33
 renal, vasodilator capacity, Goldblatt hypertension, H790
 right ventricular
 cardiovascular response, awake state, H871
 monocrotaline pyrrole effects, H300
 Hypoproteinemia, fluid volume, arterial pressure and, H284
 Hypotension, hemorrhagic, baroreflex open- and closed-loop analysis, H54
 Hypoxemia
 circulatory effects, development (lamb), H674
 hypercapnia and, plasma catecholamines, awake state, H924
 sympathectomy, circulatory and humoral response of, fetal (sheep), H767
- Hypoxia**
 carbon monoxide, cerebrovascular response to, oxyhemoglobin affinity effects, H1019
 cerebral blood flow regulation, sympathetic effect on, newborn (lamb), H487
 mitochondrial function and, myocardium, neonate, H998
 myocardial response to, theophylline effects, H363
- I**
- Imaging, rouleaux formation, erythrocytes, H252, H259
 Indicator-dilution technique
 blood flow distribution, temperature effects, hindpaw, H159
 multiple, intraorgan regional blood flow, H707
 radioactive, computer registration of, H1061
 transfer function, cerebral cortex, H385
 Indomethacin, high-output heart failure, experimental, awake state, H942
 Infant: see Neonate; Newborn
 Infarction
 myocardial
 elevated sympathetic response of epicardium proximal to, H646
 renal function after, H98
 size evaluation, myosin LC2, H413
 Innervation, portal valve, renal (rooster), H628
- Inotropic state, basal and maximal, cardiac hypertrophy, H33
 Inspiration: see Respiration
 Insulin, diabetes treatment, cardiac sarco-plasmic reticulum function in, H969
 Intermittent positive-pressure ventilation: see Ventilation
 Intestinal nerves, postprandial hyperemia, H437
 Intestines, postprandial hyperemia, neural mechanism for, H437
- Ions**
 balance, epinephrine effects, hypertrophied cardiac muscles, H90
 intracellular injection, phospholipid vesicles for, H756
- Ischemia**
 cardiac, coronary vascular resistance, hyaluronidase effects, H183
 cerebral, mediation of pressor response to, ventral medulla, H962
 myocardial
 coronary occlusion effects (sheep), H82
 protection, glutamic acid, H406
 Isoenzymes, myosin, swimming and thyroid state, heart, H713
 Isoproterenol
 chronotropic response, vagal stimulation, H721
 contractile response, adenosine effects, atria, H468
 treatment, ribose effects on cardiac metabolism and, H880
 Isotope, curves, computer registration of, H1061
- J**
- Journals in the eighties, H899
- K**
- α -Ketoglutarate, ischemic myocardium, H406
- Kidney**
 blood flow: see Blood flow
 chronic copper deficiency, H855
 circulatory homeostasis and, sodium depletion, H573
 contralateral, vasodilator capacity of, Goldblatt hypertension, H790
 function, myocardial infarction effects, H98
 hemodynamics, Goldblatt hypertension, H790
 hypertension: see Hypertension
 hypertrophy: see Hypertrophy
 hypertension: see Hypertension
 ischemic, removal, hemodynamic changes caused by, H734
 perfused, autoregulation of blood flow, development (swine), H1
 portal valve, innervation (rooster), H628
 venous catheterization, fetal (sheep), H524
 Kidney glomeruli, blood flow, microsphere flow and, H429
 Kinase, angiotensin formation, hepatic circulation, H849
- L**
- Lactate dehydrogenase, monocrotaline pyrrole effects, H300
 Lanthanum, calcium paradox, heart, H343
 Length-force relations, adenosine and inotropic interventions, atria (guinea pig), H475
 Length-tension relations, arterial sensitivity, vascular smooth muscle, H379
 Leukocytes, monocrotaline pyrrole effects, H300
 Leukotriene D₄, hyperreactivity, platelet-perfused heart, diabetes, H640
 Lipolysis, adipose tissue, catecholamine effects, H447
 Lipopolysaccharide, endotoxin effects, opiate receptor blocker and (ewe), H189
 Liposomes, sodium or calcium filled, electrical activity and, heart cells (chick), H756
- Liver**
 blood flow: see Blood flow
 chronic copper deficiency, H855
 circulation: see Circulation
 Load arterial, left ventricular interaction, H773
- Lung**
 endothelium, albumin permeability, H229
 heart interdependence, H300
 lymph: see Lymph
 vascular damage, monocrotaline pyrrole, H300
 volume: see volume
- Lymph**
 lung, endotoxin effects, opiate receptor blocker and (ewe), H189
 modification
 during passage through lymph node, histamine effects, H553
 lymph nodes, H616
 Lymph flow, weight gain relations, lung, H125
 Lymph node
 lymph modification, H616
 histamine effects, H553
- M**
- Macromolecules, microvascular permeability to, protein and blood cell effects, H698
 Magnesium-ATPase, activity, myocardial, hypertension effects, H244
 Magnesium ions, concentration, changes, cerebral arterioles and, H22
 Mass, heart, allometric relations (bird), H567
 Mesenteric artery, dopamine effects, heterogeneity of (monkey), H930
 Mesentery, venous and arterial pressure, arteriolar responses to elevation, H796
 Metabolites, cardiac, measurement, left ventricle, H327
 Methoxamine, sensitivity, diabetic heart, H808
 Methysergide, intestinal postprandial hyperemia, H437
 Microcirculation: see also Blood flow; Circulation
 arteriolar diameter, cubic dependence on, H1031
 cerebral, hydroxyl radical effects, pial arterioles, H139
 cremaster muscle, H368
 hematocrit in small vessels, microphotometry, H167
 macromolecules, protein and blood cell effects, H698

Microcirculation (*continued*)
 microsphere and red blood cell flow and slit and tube models, H429
 venous and arterial pressure elevation, mesentery, H796
 Microcomputer, arteriovenous oxygen difference, continuous measurement, H178
 Microdensitometry, video, hematocrit in small vessels, H167
 Microphotometry, hematocrit, small vessels, H167
 Microscopy, light and electron, cardiomyopathy, chronic copper deficiency, H855
 Microspheres
 circulatory effects, hypoxemia (lamb), H674
 injection, hemodynamic disturbances as a function of, H920
 intrarenal flow, blood flow and, model, H429
 radiolabeled
 blood flow, skeletal muscle fiber contraction, H265
 blood flow, temperature effects, hind-paw, H159
 cerebral blood flow regulation, hypoxic newborn (lamb), H487
 coronary collateral flow during exercise, H131
 hemodynamics, reversal of renovascular hypertension, H734
 renal venous catheterization, fetal (sheep), H524
 vasopressin and saralasin effects in hemorrhage, H749
 Mitochondria, cardiac contractility, control at cellular level, H535
 MK 421, dehydration, blood pressure maintenance and, awake state, H203
 Models
 blood substitutes, method for evaluation, H519
 circulation, splenic, H17
 left ventricular interaction, arterial load, H773
 rouleaux formation kinetics, erythrocytes, H252, H259
 slit and tube, microsphere and erythrocyte flow vs. blood flow, H429
 vagus-sinoatrial node interactions, dynamic, H1039
 Monocrotaline pyrrole, pulmonary hypertension from, H300
 Muscle
 ischemia, hindlimb perfusion, exercise and, H481
 metabolism, maturation and, H368
 Muscle, heart
 contractility
 control at cellular level, H535
 ribose effects, H880
 hypertrophy: *see* Hypertrophy
 mechanics, aging effects, H72
 segments, onset of relaxation (ferret), H610
 Muscle, skeletal
 blood flow, during contraction, H265
 blood flow and oxygen consumption, sympathetic stimulation, H66
 blood-free and protein-free perfusion, cerebrospinal fluid, H911
 Muscle, smooth
 mechanics, morphometry, ear, H840
 vascular
 length-dependent sensitivity, H379

 magnesium ion concentrations, H22
 renal portal valve (rooster), H628
 Muscle fibers
 types
 capillarity and, cremaster muscle, H368
 skeletal, blood flow during contraction, H265
 Myocardial cells: *see also* Heart cells;
 Myocytes
 cultured, defibrillator safety factor with biphasic waveforms, H60
 intracellular injections, phospholipid vesicles for, H756
 Myocardial infarction: *see* Infarction
 Myocardium
 adaptations, endurance exercise, aging, H560
 adrenergic receptors, species differences (dog, rat, rabbit), H957
 blood flow: *see* Blood flow
 contractile performance, aging effects, H72
 contracture, ischemia, hyaluronidase effects, H183
 hypoxic, theophylline effects, H363
 ischemia: *see* Ischemia
 mechanical and electrical performance, aging effects, H72
 metabolism
 fatty acids, H693
 Purkinje fibers, H824
 oxygen demand, prediction of, H533
 thickening, Doppler measurement (pig), H1066
 Myocytes: *see also* Heart cells; Myocardial cells
 electrophysiology and ultrastructure, left ventricular, H830
 ventricular, calcium-tolerant, isolation of, H891
 Myoglobin, oxygenation: *see* Oxygenation
 Myograph ring segments, morphometry, ear, H840
 Myosin, cathepsin-D-catalyzed degradation and, H294
 Myosin LC2, infarct size, evaluation method, H413

N

Neonate: *see also* Newborn
 calcium paradox, heart, H343
 mitochondrial function of myocardium, hypoxia and reoxygenation effects, H998
 oxyhemoglobin affinity effects, cerebral oxygen delivery, H1019
 Nerves: *see also* specific nerve and site
 transmural stimulation
 adrenergic control, ear, H320
 relaxation of saphenous vein and, H1073
 Neural mechanism, intestinal postprandial hyperemia and, H437
 Neurons, intracardiac, nicotinic sensitivity, surgical denervation, H27
 Newborn: *see also* Neonate
 hypoxic, sympathetic effect on cerebral blood flow regulation (lamb), H487
 Nicotinamide adenine dinucleotide fluorescence: *see* Fluorescence
 Nicotine
 carotid chemoreceptor reflex, right ventricular hypertrophy, awake state, H871
 sensitivity, atrioventricular node, surgical denervated heart, H27

Nifedipine
 calcium channels resistant to, vein, H1024
 carotid baroreceptors and baroreflexes, H653
 Nitroprusside, venous return, regional, chronic congestion and, H814
 Norepinephrine
 adrenergic control, arteries of ear, H320
 blood pressure maintenance, dehydration, awake state, H203
 chronotropic response, vagal stimulation, H721
 contractile response, adenosine effects, atria, H468
 contractions and, coronary artery, H937
 disposition, large and small pulmonary artery, H104
 endogenous, uptake inhibitor, plasma, H336
 high salt diet, genetic hypertension, H762
 hypoxemia and hypercapnia effects, awake state, H924
 influence, adipose tissue, H447
 left ventricular hypertrophy, isovolumic indexes and, H33
 nerve stimulation, relaxation of saphenous vein, H1073
 release, carotid occlusion, H635
 turnover, cardiac and splenic, endotoxemia, H276
 Nuclear magnetic resonance, cardiomyopathy, chronic copper deficiency, H855
 Nucleotides, adenine, mitochondrial function of myocardium, neonate, H998

O

Oleic acid, nerves, intestinal postprandial hyperemia, H437
 Open-loop gain: *see* Gain
 Opiates
 receptor blockade: *see* Blockade
 receptors: *see* Receptors
 Ouabain, arterial binding, sodium-potassium-ATPase and rubidium ion uptake, H604
 Oxidative capacity: *see* Capacity
 Oxygen
 arteriovenous difference, continuous measurement by microcomputer, H178
 consumption
 aging and exercise effects, heart, H560
 allometric relations (bird), H567
 arteriovenous, measurement by microcomputer, H178
 blood flow and, sympathetic stimulation, skeletal muscle, H66
 hypoxemia effects (lamb), H674
 myocardial, diabetic heart, H808
 postprandial intestinal hyperemia, H437
 renal, fetal (sheep), H524
 delivery, cerebral, oxyhemoglobin affinity effects, H1019
 demand, prediction of, myocardial, H533
 extraction, sympathetic stimulation and, skeletal muscle, H66
 partial pressure, blood flow and, mass spectrometry, H513
 tension, myocardial, cardiac cycle, H237
 Oxygenation
 developmental changes in, hypoxemia (lamb), H674
 myoglobin, cardiac cycle, H237

Oxyhemoglobin dissociation curve, cerebrovascular response and, carbon monoxide hypoxia, H1019

P

Pacemaker

annihilation, electronic inhibition and summation, Purkinje fibers, H42
site, cycle length relations, H781
vagus-sinoatrial node interactions, model, H1039

Pacing, rapid, sinoatrial node (guinea pig), H7

Papillary muscle: *see* Muscle, heart

Parasympathetic nervous system

atrioventricular conduction responses, vagal stimulation, H584
vagus-sinoatrial node interactions, model, H1039

Particle, p-face, density, cardiac plasma-lemma, H992

Perfusion

blood-free and protein-free, cerebrospinal fluid, hindlimb, H911
isovolumic exchange, blood substitutes, awake state, H519

Pericardial superfusion, adenosine concentration measurement, cardiac, H1085

Peripheral artery, dopamine effects, heterogeneity of (monkey), H930

Permeability

capillary

albumin, lung endothelium, H229
computer registration of isotope curves, H1061
intermediate-sized colored solutes (frog), H495
perfusion, cerebrospinal fluid, hindlimb, H911
coronary, protein and blood cells, macromolecules, H698
vascular, histamine effects on lymph passage through lymph node, H553

pH, dependence, rouleaux formation, erythrocytes, H252, H259

Phentolamine, sensitivity, diabetic heart, H808

Phenylethanolamine *N*-methyltransferase, high-salt diet, genetic hypertension, H762

Phosphate, high-energy, cardiac cycle, H354

Phosphocreatine, chronic copper deficiency, H855

Phosphofructokinase, tolbutamide effects, myocardial energy metabolism, H313

Phospholipid vesicles, intracellular injections, heart cells, H756

Phosphorus-31, cardiomyopathy, chronic copper deficiency, H855

Phosphorylase kinase, diabetic heart, H1039

Phosphorylation

oxidative, mitochondrial function of myocardium, neonate, H998
substrate-level, ischemic myocardium, H406

Photometry, microscope, single capillary permeability, colored solutes (frog), H495

Physical training: *see* Exercise

Pial arterioles, dilation, hydroxyl radical effects, H139

Plasma

catecholamines: *see* Catecholamines

endogenous norepinephrine uptake inhibitor in, H336

prostaglandins: *see* Prostaglandins

protein: *see* Proteins

renin: *see* Renin

vasopressin: *see* Vasopressin

Plasma-soluble marker, regional flow, intraorgan, H707

Platelets

plasma prostaglandin control, vitamin E deficiency, H867
serotonergic coronary relaxation, endothelium-dependent, H1077
storage pool-deficient, serotonin accumulation in (cattle), H150

Plethysmography, blood flow distribution, temperature effects, hindpaw, H159

Polycythemia, splenic circulation, compartmental analysis, H17

Posture, head-down tilt, hemodynamic effects, sustained hypertension, H194

Potassium

depolarization, adenosine and, atria (guinea pig), H475
myocytes, left ventricular, H830
relaxation, femoral and renal arteries, H604

Potassium ions, relaxation, femoral and renal arteries, H598

Potentials

action

cardiac, H901
duration, myocardium, aging effects, H72
duration, myocytes, left ventricular, H830
resting, epinephrine effects, hypertrophied cardiac muscles, H90
transmembrane, biphasic waveforms and, myocardial cells, H60

Potential, adrenergic, sodium depletion, H662

Practolol, sensitivity, diabetic heart, H808

Prazosin, cerebral blood flow regulation, hypoxic newborn (lamb), H487

Prehypertension, vascular resistance, baroreflex control of, H210

Preload, arterial sensitivity, vascular smooth muscle, H379

Pressor response

ischemic, hindlimb perfusion, exercise, H481
mediation of, cerebral ischemia, ventral medulla, H962

Pressure: *see also* Blood pressure

arterial

baroreflex open- and closed-loop analysis and, H54
coronary, rigid and compliant stenoses and, H1054
hypoproteinemia effects, H284
prostaglandin E₂ effects, carotid sinus, awake state (sheep), H1007
systemic zero-flow, determinants of, H453

colloid osmotic

hypoproteinemia and, H284
lymph modification, lymph node, H616

distal coronary, rigid and compliant coronary stenoses and, H1054
end-systolic, stroke volume relations, left ventricle, H773

¹²⁵I-albumin transport and, aortic, H977
intracranial, high, vascular capacitance changes during, H947

overload, left ventricular hypertrophy

and isovolumic indexes, H33

venous and arterial, elevation, mesentery, H796

Pressure-flow relations, renal, development (swine), H1

Propranolol, adenosine interactions, atria (guinea pig), H475

Prostacyclin-stimulating factor, plasma prostaglandin control, vitamin E deficiency, H867

Prostaglandin E₁, diabetic heart, H1039

Prostaglandin E₂

arterial pressure and, carotid sinus, awake state (sheep), H1007
urinary, experimental high-output heart failure and, awake state, H942

Prostaglandins

arterial pressure and, carotid sinus, awake state (sheep), H1007
hyperreactivity, coronary vasculature, heart, diabetes, H640
nerve stimulation, relaxation of saphenous vein, H1073
plasma, control, vitamin E deficiency, H867
renal, experimental high-output heart failure and, awake state, H942

Protein

cardiac myofibrillar, susceptibility to cathepsin-D, H294
coronary permeability and, macromolecules, H698
degradation, myofibrillar, cardiac, H294
membrane, integral, cardiac, H992
plasma, concentration, fluid volume and arterial pressure and, H284
transvascular movement, lymph node, histamine effects, H553
Pulmonary artery, large and small, norepinephrine disposition, H104

Pump

sodium, femoral and renal artery relaxation, H598
sodium-potassium

epinephrine effects on resting potential, hypertrophied cardiac muscle, H90

particle density of cardiac plasma-lemma, H992

Purine nucleosides, adenosine, quantitation, fluorometry, H887

Purkinje fibers

cardiac, quantitative histochemistry, H824
electronic inhibition and summation, H42

Pyrolizidine alkaloids, pulmonary hypertension and, H300

Pyruvate, cardiac cycle and, H354

R

Receptors

adrenergic, intraorgan regional blood flow, H707

 α -adrenoceptors

right ventricular hypertrophy, awake state, H871
stimulation, diabetic heart sensitivity to, H808

α - and β -adrenergic, myocardial, species differences (dog, rat, rabbit), H957

baroreceptors

carotid, calcium channel blocker effects, H653

denervation, angiotensin II-mediated vasoconstriction, H667

renal hypertension, H420

Receptors (*continued*)

- cardiac, pharmacologic denervation, H592
 - cardiac volume, vasopressin, renin, and hemorrhage, H399
 - dopamine, cerebral and peripheral arteries (monkey), H930
 - histamine, stimulation effects, regional myocardial blood flow, H461
 - membrane, particle density of cardiac plasmalemma, H992
 - muscarinic, atrioventricular conduction responses, vagal stimulation, H584
- Red blood cells: *see* Erythrocytes
- Reflexes
- arteriovenous, local, venous and arterial pressure elevation, mesentery, H796
- baroreflexes
- abnormal control, renal hypertension, H420
 - arterial, sensitivity, head-down tilt, hypertension and, H194
 - carotid, calcium channel blocker effects, H653
 - carotid sinus, prostaglandin effects, awake state (sheep), H1007
 - control, vascular resistance, prehypertension, H210
 - open- and closed-loop gain analysis, H54
 - carotid sinus, arterial pressure determinants, H453
 - chemoreflex, muscle, hindlimb perfusion, exercise and, H481
- Refractory period, sympathetic nerves, healed myocardial infarction and, H646
- Renal artery
- dopamine effects, heterogeneity of (monkey), H930
 - ouabain binding, sodium-potassium-ATPase and rubidium ion uptake, H604
 - relaxation, potassium ion-induced, H598
- Renin
- blood pressure maintenance, dehydration and, awake state, H203
 - hemorrhage, cardiac denervation, awake state, H399
 - metabolism, sodium depletion and, blood flow, H573
 - plasma, hemodynamics, renovascular hypertension, H734
 - plasma activity, experimental high-output heart failure and, awake state, H942
- Renin-angiotensin system
- adrenergic potentiation, prejunctional, H662
 - brain, hydrocortisone effects, H1013
 - vasoconstriction during hemorrhage, baroreceptor denervation, H667
 - vasodilation, hypertension, kidney, H790
- Reoxygenation, mitochondrial function and, myocardium, neonate, H998
- Resistance
- coronary vascular, ischemic heart, hyaluronidase effects, H183
 - ear arteries, myograph ring segments and, H840
 - left ventricular systolic dynamics, H110
 - peripheral, prostaglandin effects, carotid sinus arterial pressure, awake state (sheep), H1007
 - total peripheral, vasoconstriction during

hemorrhage, baroreceptor denervation, H667

vascular

- adipose tissue, catecholamine effects, H447
- baroreflex control in, prehypertension, H210
- circulatory and developmental changes, hypoxemia (lamb), H674
- splanchnic, sodium depletion and, H573

Respiration

- cerebral ischemia, ventral medulla, H962
- intermittent positive-pressure ventilation, cardiovascular changes during, H300

tissue, aging and exercise effects, heart, H560

Retina, anticoagulant activity, microvascular

- heparinlike species (calf), H725
- Ribose, cardiac metabolism and, isoproterenol-treated, H880

Rouleaux, formation kinetics, erythrocytes,

- models, H252, H259
- Rubidium ions, ouabain binding, arteries, H604

Running: *see* Exercise

S

Saphenous vein, relaxation, brief transmural nerve stimulation, H1073

Saralasin

- adrenergic potentiation, prejunctional, H662
- blood flow, splanchnic, H573
- vasoconstriction during hemorrhage, baroreceptor denervation, H667
- vasopressin and, regional blood flow following hemorrhage, H749

Sarcolemma, age-dependent changes, calcium depletion and repletion, neonate, H343

Sarcoplasmic reticulum

- cardiac contractility, control at cellular level, H535
- function, insulin- or carnitine-treated diabetes, H969

Scintigraphy, fatty acid metabolism, cardiac glycerolipids, H693

Sensitivity, length-dependent, vascular smooth muscle, H379

Sepsis, cardiopulmonary response, opiate receptor blocker effects (ewe), H189

Serotonin, accumulation, granules of storage pool-deficient platelets (cattle), H150

Shunt, arteriovenous, temperature effects, blood flow, hindpaw, H159

Sialic acid, sodium-potassium-ATPase activity, hypertension, H244

Sinoatrial node

- electronic interactions in (guinea pig), H7

vagus node interactions, model, H1039

Sinus node, pacemaker site, cycle length relations, H781

Sodium

- depletion
 - adrenergic potentiation, prejunctional, H662
 - circulatory homeostasis, saralasin effects, H573
- excretion, cardiorenal hemodynamics

and, myocardial infarction effects, H98

intake, low, blood pressure and, spontaneous hypertension, H1081

Sodium-calcium exchange

- cardiac contractility and, H535
- heart cells, embryo (chick), H528

Sodium-potassium-ATPase

activity, myocardial, hypertension effects, H244

nerve stimulation, relaxation of saphenous vein, H1073

ouabain binding, arteries, H604

Sodium-potassium pump: *see* Pump

Sodium pump: *see* Pump

Solutes

- intermediate-sized colored, permeability of single capillaries to (frog), H495
- rejection, ¹²⁵I-albumin transport, aortic, H977

Species differences, α -adrenergic receptors (dog, rat, rabbit), H957

Spectrometry, mass, oxygen partial pressure and blood flow, cerebral, H513

Spleen

- circulation: *see* Circulation
- circulatory homeostasis and, sodium depletion, H573

norepinephrine turnover, endotoxiosis, H276

venous return, nitroprusside effects, H814

Starling forces, lymph modification, lymph node, H616

Stenosis, coronary, rigid and compliant, distal coronary pressure effects, H1054

Stereology, ear arteries, myograph ring segments and, morphometry, H840

Stimulation, premature, sinoatrial node (guinea pig), H7

Streptozotocin, diabetes, cardiac sarcoplasmic reticulum function in, H969

Stroke volume: *see* Volume

Substrates, myocardial response to hypoxia, theophylline and, H363

Succinate, ischemic myocardium, H406

Sucrose, distribution volume, lung, H229

Swimming: *see* Exercise

Sympathectomy, circulatory and humoral response, hypoxemia, fetal (sheep), H767

Sympathetic nerve efferents, norepinephrine release from, carotid occlusion, H635

Sympathetic nerves

- activity, hydrocortisone effects, H1013
- adrenergic potentiation, prejunctional, H662

elevated response, epicardium, healed myocardial infarction, H646

Sympathetic nervous system

- activity, blood pressure maintenance, dehydration and, awake state, H203

adrenal catecholamines, salt-sensitive genetic hypertension and, H762

norepinephrine release, carotid occlusion and, H635

norepinephrine turnover, endotoxiosis, H276

stimulation

- blood flow and oxygen consumption during, skeletal muscle, H66
- cerebral blood flow regulation, hypoxic newborn (lamb), H487
- vasodilation: *see* Vasodilation

Sympathetic response, epicardium, proximal to healed myocardial infarction, H646
 Systolic dynamics, left ventricular, H110

T

Tachycardia, left ventricular response to, chronic volume overload effects, H218
 Temperature, blood flow distribution and, hindpaw, H159
 Tetraethylammonium, sensitivity, diabetic heart, H808
 Tetrodotoxin
 electronic interactions, sinoatrial node (guinea pig), H7
 intestinal postprandial hyperemia, H437
 Theophylline
 adenosine action, oxygenated and hypoxic atria, H468
 adenosine interactions, atria (guinea pig), H475
 myocardial response to hypoxia, substrate dependence of, H363
 Thermomodulation, low cardiac output and, H690
 Thiazolyethylamine, histamine receptor stimulation, myocardial blood flow and, H461
 Thoracic aorta: *see* Aorta
 Thrombin-antithrombin complex, anticoagulant activity, microvascular heparinlike species (calf), H725
 Thrombocytopenia, platelet storage pool deficiency, Chediak-Higashi syndrome (cattle), H150
 Thromboxane, plasma control, vitamin E deficiency, H867
 Thromboxane A₂, hyperreactivity, platelet-perfused heart, diabetes, H640
 Thyroid gland, exercise, cardiac myosin isoenzymes and, H713
 Tissue, copper deficiency and, H855
 Tolbutamide, metabolic effects, myocardial, H313
 Transducer, single epicardial, myocardial thickening measurement (pig), H1066
 Tricyclic antidepressant, regional blood flow, intraorgan, H707
 Triglyceride, cardiac, fatty acid metabolism into, H693

Tropomyosin, cathepsin-D-catalyzed degradation and, H294
 Tyrosine 3-hydroxylase, high-salt diet and, genetic hypertension, H762

U

Ultrasound, pulsed Doppler, myocardial thickening (pig), H1066
 Ultrastructure, myocytes, left ventricular, H830

V

Vagus nerve
 blockade: *see* Blockade
 stimulation
 catecholamine effects, heart, H721
 secondary atrioventricular conduction during, H584
 Vagus node, sinoatrial node interactions, model, H1039
 Vascular tissue, endogenous norepinephrine uptake inhibitor, plasma, H336
 Vascular tone, intrinsic, vascular calcium channels, H1024
 Vascular waterfall, arterial pressure determinants, H453
 Vasoconstriction
 coronary, H937
 pial arterioles, hydroxyl radical effects, H139
 sympathetic, blood flow and oxygen consumption, skeletal muscle, H66
 Vasoconstrictors, coronary artery response to, H937
 Vasodilation
 cerebral arterioles, magnesium ion concentration and, H22
 kidney, maximum, Goldblatt hypertension, H790
 pial arterioles, hydroxyl radical effects, H139
 sympathetic, blood flow and oxygen consumption, skeletal muscle, H66
 Vasomotor tone, arterial pressure determinants, H453
 Vasopressin
 angiotensin and, regional blood flow following hemorrhage, H749
 blood pressure maintenance, dehydration and, awake state, H203
 hemorrhage, cardiac denervation, awake state, H399

hypoxemia effects, sympathectomy, fetal (sheep), H767
 Velocity
 conduction, cardiac impulse, H901
 zero contour, relaxation, cardiac muscle (ferret), H610
 Vena cava, occlusion, magnitude of unipolar atrial electrograms and, H580
 Venoconstriction, intracranial pressure, high, H947
 Venous return, sensitivity, nitroprusside effects, H814
 Ventilation, intermittent positive-pressure, cardiovascular changes from, H307
 Ventral medulla, pressor response mediation, cerebral ischemia, H962
 Ventriculoarterial coupling: *see* Coupling
 Verapamil
 calcium channels resistant to, vein, H1024
 carotid baroreceptors and baroreflexes, H653
 magnesium ion concentrations and, cerebral arterioles, H22
 Vessels, small, hematocrit in, microphotometry, H167
 Vitamin E, deficiency, plasma prostaglandin control in, H867
 Voltage dependence, caffeine-induced current, heart cells, embryo (chick), H528
 Volume
 fluid, hypoproteineimia effects, H284
 heart, caval occlusion effects, H580
 lung, albumin distribution and, H229
 plasma, two-kidney renal hypertension, H683
 stroke
 allometric relations (bird), H567
 end-systolic relations, left ventricle, H773
 Volume overload, tachycardia, left ventricular response to, H218

W

Waveforms, biphasic, defibrillator safety factor, H60
 Weight
 body, developing hypertension and, H1081
 lymph flow relations, lung, H125
 White blood cells: *see* Leukocytes

Author Index to Volume 14

- Abboud, F. M., H653
 Abildskov, J. A., H580
 Adair, T. H., H616
 Adams, T., Jr., H189
 Adamson, R. H., H495
 Alexander, G. M., H1061
 Allen, J. C., H598, H604
 Althaus, J. A., H924
 Amano, T., H385
 Anagnostelis, C., H27
 Antzelevitch, C., H42
 Ardell, J. L., H481
 Ashizawa, H., H1013
 Autry, L. J., H781
 Averill, D. B., H667
- Bache, R. J., H131
 Baer, R. W., H327
 Baker, C. H., H159
 Barenholz, Y., H756
 Barnard, R. J., H533
 Baskin, E. P., H1024
 Bassett, A. L., H646
 Bassingthwaite, J. B., H707
 Becker, D. P., H22
 Bedont, R. A., H580
 Benson, K., H150
 Berne, R. M., H1085
 Bevan, J. A., H320, H840
 Bevan, R. D., H320
 Beyer, R. E., H560
 Bing, R. F., H734
 Biollaz, J., H203
 Bishop, V. S., H54
 Bittl, J. A., H406
 Bkaily, G., H756
 Black, J. A., H506
 Blalock, J. E., H189
 Boineau, J. P., H781
 Boutelle, S., H683
 Bove, A. A., H307
 Brady, J., H957
 Braun, E. J., H628
 Braunwald, E., H98
 Brazeau, P., H1
 Brenner, B. M., H98
 Breuhaus, B. A., H1007
 Britton, S. L., H849
 Brody, M. J., H683
 Brooks, H. L., H461
 Broughton, A., H33
 Bruner, L. H., H300
 Brunner, D. B., H203
 Brunner, H. R., H203
 Brunner, M. J., H453
 Brunsting, J. R., H592
 Buckberg, G. D., H533
 Buckley, N. M., H1
 Buggy, J., H683
 Buja, L. M., H957
 Bukoski, R. D., H598, H604
 Burgis, V., H90
 Burkoff, D., H773
 Burnier, M., H203
 Burrows, M. E., H628, H796
 Bush, L., H957
- Cannon, P. J., H635
- Capasso, J. M., H72
 Carey, R. M., H924
 Carillo, A., H336
 Carpenter, S., H506
 Caspar, T., H363
 Chapman, R. A., H535
 Charlier, A. A., H218
 Chassaing, C., H721
 Chen, H. I., H54
 Chien, K. R., H693
 Chimoskey, J. E., H1007
 Chiu, C.-C., H413
 Choi, S. C., H22
 Chou, C. C., H437
 Christensen, C. W., H461
 Cilento, E. V., H17
 Clarke, W. P., H519
 Clausen, G., H429
 Clough, D. L., H244
 Clusin, W. T., H528
 Coffelt, R. J., H354
 Cohen, R. A., H1077
 Coleman, T. G., H920
 Colton, C. K., H623
 Correze, J.-L., H513
 Covell, J. W., H814
 Cranefield, P. F., H901
 Curry, F. E., H495
 Curtis, M. B., H27
- Daniel, C., H849
 Danilo, P., Jr., H830
 Davis, D. L., H159, H379
 Davis, J. O., H573, H942
 De Bellis Vitt, G., H867
 De Gaetano, G., H867
 DeHaan, R. L., H528
 Delaini, F., H867
 Del Carmine, R., H762
 Delivoria-Papadopoulos, M., H487
 Dietz, J. R., H573, H942
 DiMarzio, L., H336
 Ditchey, R. V., H690
 Dobson, J. G., Jr., H468, H475
 Donati, M. B., H867
 Doni, M. G., H867
 Downing, S. E., H808
 Drake, R. E., H125
 DuBois, A. B., H143
 Duchene-Marullaz, P., H721
 Duckles, S. P., H628
 Duling, B. R., H368
 Duncan, H. W., H533
 Duwel, C. M. B., H533
 Duyt, P., H533
 Dworkin, L. D., H98
- Eccles, R., H519
 Echtenkamp, S. F., H573, H942
 Edington, D. W., H560
 Elshalom, Y., H756
 Ely, S. W., H1085
 Elzinga, G., H533
 Engler, R. L., H814
 Entman, M. L., H1066
 Euler, D. E., H82
- Falanga, A., H867
- Farrell, T. A., H887
 Feigl, E. O., H667
 Feliksik, J. M., H855
 Ferguson, A. G., H294
 Filkins, J. P., H276
 Fink, G. D., H683
 Finkenberg, J. G., H533
 Fischmeister, R., H528
 Frank, J. S., H343
 Franke, C. P., H1061
 Frasier, I. D., H1
 Freas, W., H336
 Freeman, G. L., H814
 Freeman, R. H., H573, H942
 Fripp, R. R., H808
 Fritze, L., H725
 Fry, D. L., H977
 Fukami, M., H150
- Gabel, J. C., H125
 Gaetgens, P., H167
 Gaide, M. S., H646
 Galli, S. J., H725
 Geyer, R. P., H519
 Goetz, K. L., H399
 Goodin, T. H., H519
 Gordon, F. J., H210
 Gotoh, F., H385
 Granger, D. N., H1061
 Gray, S. D., H368
 Green, L. S., H580
 Greene, A. S., H453
 Gross, G. J., H461
 Groves, B. M., H690
 Grubb, B. R., H567
 Guerin, A. P., H194
 Guicheney, P., H762
 Guo, G. B., H420
 Guyton, A. C., H284, H616
- Haddy, F. J., H244, H336
 Haghani, Z., H957
 Hakumäki, M. O. K., H399
 Han, A., H693
 Hanley, F., H327
 Harada, N., H252
 Hardman, H. F., H461
 Hartley, C. J., H1066
 Haywood, J. R., H683
 Heckman, J. L., H307
 Heesch, C. M., H653
 Heffernan, T. M., H487
 Hemingway, L. M., H887
 Hemwall, E. L., H891
 Henry, C. G., H824
 Hewett, K., H830
 Heymann, M. A., H674
 Hilliker, K. S., H300
 Hjemdahl, P., H447
 Hoffman, J. I. E., H327
 Holmsen, H., H150
 Hostetter, T. H., H98
 Houser, S. R., H90, H891
 Hudak, M. L., H1019
 Hume, M. C., H533
 Huntsman, L. L., H610
 Huxley, V. H., H495
- Ibel, H., H880
- Ijichi, H., H1013
 Imaizumi, K., H252, H259
 Imataka, K., H413
 Imberti, L., H867
 Inoue, A., H1013
 Iwai, J., H762
 Iwamoto, H. S., H524, H767
- Jacobson, M. K., H887
 Jalife, J., H1043
 Janicki, J. S., H110
 Jarmakani, J. M., H998
 Johnson, A. K., H683
 Johnson, P. C., H796
 Jones, C. E., H887
 Jones, J. L., H60
 Jones, M. D., Jr., H1019
 Jones, R. E., H60
 Jones, S. B., H276
 Jones, T. L., H294
- Kaiser, D. L., H924
 Kanaide, H., H237
 Kanzow, G., H167
 Karp, G., H725
 Karrison, T., H992
 Katz, S., H969
 Keil, L. C., H767
 Kern, D. F., H229
 Kiel, J. W., H178
 Klevay, L. M., H855
 Knabb, R. M., H1085
 Knauss, E. B., H379
 Kobari, M., H385
 Koehler, R. C., H1019
 Kon, K., H259
 Kontos, H. A., H22
 Kopp, S. J., H855
 Kordylewski, L., H992
 Korner, P. I., H33
 Kozlovskis, P. L., H646
 Kramer, J. H., H313
 Kuipers, J. R. G., H674
 Kulkarni, P., H693
 Kusachi, S., H1085
 Kvietys, P. R., H1061
- Lampson, W. G., H313
 Largent, R. D., H790
 Latson, L. A., H1066
 Lee, J. C., H808
 Leenen, F. H. H., H1081
 Lefer, A. M., H640
 Lefer, B. L., H640
 Legato, M. J., H830
 Lesch, M., H294
 Levenson, J. A., H194
 Levitt, D., H229
 Lew, W. Y. W., H741
 LeWinter, M. M., H741
 Lewis, R. M., H1066
 Linde, B., H447
 Lindsey, B. G., H159
 Lipsius, S. L., H7
 Little, S. E., H707
 London, G. M., H194
 Lopaschuk, G. D., H969
 Lowry, O. H., H824

Lux, R. L., H580

MacAnespie, C. L., H947
 Mackie, B. G., H265
 Maeda, N., H259
 Makino, N., H237
 Malhotra, A., H72
 Manning, R. D., Jr., H284
 Marcum, J. A., H725
 Marino, T. A., H891
 Mark, A. L., H210
 Maron, M. B., H553
 Martin, F., H90
 Martin, P., H584
 Martinez, E., H27
 Martyn, D. A., H610
 Mason, M. F., H320
 Maughan, W. L., H773
 Maxwell, L. C., H368
 Mayrovitz, H. N., H1031
 McBride, W., H957
 McCarty, R., H762
 McCoy, I. E., H519
 McCuskey, R. S., H17
 McDonagh, P. F., H698
 McNeill, J. H., H969
 Meric, P., H513
 Messina, L. M., H327
 Meyers, K. M., H150
 Michael, L. H., H1066
 Michaels, D. C., H1043
 Mihara, B., H385
 Miller, B. M., H653
 Miller, C. B., H781
 Miller, E. D., H924
 Miller, T. B., Jr., H1039
 Mirkin, B. L., H767
 Moe, G. K., H42
 Mohrman, D. E., H66
 Mohsenin, V., H143
 Moore, E. N., H82
 Mueggler, P. A., H506
 Mukherjee, A., H957
 Muldoon, S. M., H336
 Murphy, W. R., H920
 Murray, P. A., H871
 Myerburg, R. J., H646

Nagai, R., H413
 Nakamura, M., H237
 Nakanishi, T., H998
 Nishioka, K., H998
 Nyhof, R. A., H437

Øfjord, E. S., H429
 Ogunro, E. A., H294
 Ohuchi, Y., H413
 Oliver, J. A., H635

Olsson, R. A., H1085
 Owen, M. P., H320, H840

Pagani, E. D., H713
 Page, E., H992
 Pamnani, M. B., H244
 Pang, C. C. Y., H749
 Pardini, B. J., H276
 Parmley, W. W., H354
 Payen, D., H194
 Perry, M. A., H1061
 Petein, M., H218
 Pfeffer, J. M., H98
 Pfeffer, M. A., H98
 Pinard, E., H513
 Polosa, C., H962
 Pouleur, H., H218
 Price, J. M., H379
 Pries, A. R., H167
 Priola, D. V., H27
 Pritchard, W. F., H623

Ramirez, C. A., H623
 Reeves, J. T., H690
 Reibel, D. K., H640
 Reilly, F. D., H17
 Reison, D. S., H635
 Remily, R. M., H72
 Rich, T. L., H343
 Riedel, G. L., H1061
 Rimele, T. J., H1073
 Robertson, J. M., H533
 Robinson, R. B., H830
 Roeske, W. R., H781
 Rohlicek, C. V., H962
 Ronau, T. F., H849
 Rondinone, J. F., H610
 Rooke, T. W., H1073
 Rorie, D. K., H104
 Rose, C. E., Jr., H924
 Rosenberg, A. A., H1019
 Rosenberg, R. D., H725
 Rosenblum, W. L., H139
 Roth, D. M., H640
 Roth, R. A., H300
 Rothe, C. F., H947
 Rousseau, M. F., H218
 Rovetto, M. J., H183
 Rowell, L. B., H481
 Roy, J., H1031
 Rubio, R., H1085
 Rudolph, A. M., H524, H674, H767
 Russell, G. I., H734

Saavedra, J. M., H762
 Sacks, L. M., H487
 Safar, M. E., H194

Sagawa, K., H453, H773
 Salata, J. J., H1043
 Samarel, A. M., H294
 Santamore, W. P., H307
 Sarelius, I. H., H368
 Schaffer, S. W., H313
 Scher, A. M., H481, H667
 Scheuer, J., H72
 Schneiderman, G., H623
 Schuessler, R. B., H781
 Schuil, H. A., H592
 Schwartz, J. S., H131, H1054
 Sciacca, R. R., H635
 Scott, R. L., H125
 Seachord, C. L., H150
 Seelig, J. M., H22
 Seidel, C. L., H598, H604, H1066
 Sekiya, M., H252
 Seylaz, J., H513
 Shepherd, A. P., H178, H1061
 Shepherd, J. T., H1077
 Shiga, T., H252, H259
 Shimizu, T., H998
 Shine, K. I., H406
 Shinohara, T., H385
 Shoukas, A. A., H453
 Shroff, S. G., H110
 Sidi, D., H674
 Sievers, R., H354
 Silver, L. H., H891
 Simon, A. C., H194
 Slenter, V. A. J., H1043
 Smith, E. M., H189
 Smith, K. A., H623
 Smith, T. L., H920
 Snow, T. R., H363
 Solaro, R. J., H713
 Sonnenblick, E. H., H72
 Spear, J. F., H82
 Sperelakis, N., H756
 Stanek, K. A., H920
 Starnes, J. W., H560
 Stein, P. M., H947
 Stemerman, M. B., H623
 Stock, R. J., H17
 Sunagawa, K., H773
 Sundet, W. D., H399
 Sunnergren, K. P., H183
 Sutton, E. T., H159
 Swales, J. D., H734
 Sziebert, L. A., H189
 Tahiliani, A. G., H969
 Takahashi, H., H1013
 Takeda, K., H1013
 Tanahashi, N., H385
 Taylor, K., H519
 Teitel, D., H674
 Terjung, R. L., H265

Thames, M. D., H420, H653
 Thomas, G., H849
 Thompson, L. P., H66
 Thomson, P. D., H189
 Thurston, H., H734
 Toal, C. B., H1081
 Toda, N., H930, H937
 Tomita, M., H385
 Traber, D. L., H189
 Traber, L. D., H189
 Traystman, R. J., H1019
 Tyce, G. M., H104

Ueda, S., H413
 Uhlig, P. N., H327

Vadlamudi, R. V. S. V., H969
 Van den Horn, G. J., H533
 Van Grondelle, A., H690
 Vanhoutte, P. M., H1073, H1077
 Van Mechelen, H., H218
 Vatner, S. F., H871
 Veyrac, M. J., H721
 Villarreal, D., H573, H942
 Vinten-Johansen, J., H533

Wagerle, L. C., H487
 Wagner, W. W., Jr., H690
 Walmsley, J. G., H320, H840
 Wang, B. C., H399
 Wangensteen, D., H229
 Warltier, D. C., H461
 Watson, P. D., H911
 Weber, K. T., H110
 Wei, E. P., H22
 Weichmann, A. H. C. A., H533
 Weinberg, D., H90
 Weise, V., H762
 Westerhof, N., H533
 White, J., H693
 Wikman-Coffelt, J., H354
 Willerson, J. T., H957
 Winquist, R. J., H1024
 Wong, P. C., H662
 Wylds, A. C., H781
 Wyss, C. R., H481

Yamaoki, K., H413
 Yazaki, Y., H413
 Yoneda, S., H1013
 Yoshimura, M., H1013
 Yoshimura, R., H237
 Young, H. H., H998

Zijlstra, W. G., H592
 Zimmer, H.-G., H880
 Zimmerman, B. G., H662, H790

